TECHNICAL DATA

870701NW

ARTEMISA OUTDOOR WALL LIGHT 8W 4000K

ARTEMISA wall light, surface-mounted and suitable for outdoor use with a protection rating of IP54. Power of 8W and luminous flux of 544lm. Indirect lighting with a symmetrical 120° optical beam angle and color temperature of 4000K. Mechanical impact resistance rating IK08. Housing made of aluminum with black finish and opal polycarbonate diffuser.



PRODUCT SPECIFICATIONS

Item code:	870701NW
Description:	ARTEMISA outdoor wall light
EAN13 code:	8436568448213

ELECTRICAL DATA

Power:	8w
Voltage:	220-240vac
Frequency:	50-60 Hz
Power factor:	0,6
Dimmable:	NOT
Electrical insulation class:	CLASS I
Connection:	L/N+TT

LUMINOUS DATA

Color temperature:	4000K
Luminous efficiency:	68 lm/w
Lumens:	544lm
LED chip model:	SMD 2835
Beam angle:	120°
Luminous distribution:	Symmetrical
Color rendering index:	>80
Color rendering index (Minimum value):	80
Color rendering index (Maximum value):	83
Standard desviation of colour matching:	<6
Luminous maintenance factor:	L90B10
Flicker index:	≤1,0
SVM (Stroboscopic Visibility Measure):	≤0,4

TECHNICAL DATA

Protection rating:	**IP54 (Equipment protected against dust and water splashes)**
Impact rating:	**IK08 (5J)**
Operating temperature:	**-20°~50°**
Mounting type:	**Surface**

AVERAGE LIFESPAN

Working hours:	**30000 hrs**
Switching cycles:	**25000 ON/OFF**

PHYSICAL DATA

Housing

Material:	**Aluminum**
Finish:	**Black**

Diffuser

Material:	**Polycarbonate**
Finish:	**Opal**

Weight

Weight:	**0,65 kg**

ENERGY EFFICIENCY 2023(UE-2019/2015) G

DIMENSIONS

LUMINOUS INTENSITY DISTRIBUTION CURVE





CERTIFICATIONS

CE RoHS