TECHNICAL DATA





Input and output at both ends

69218

NEPTUNO SUS316 LINKABLE WATERPROOF FIXTURE FOR T8 TUBES, 600MM, X2 TUBO



Empty linkable waterproof fixture empty 60cm made of SUS316 steel for 2 T8 LED tubes with G13 socket. Protection rating IP67 and mechanical impact resistance rating IK10. SUS316 steel base and clips with white RAL9010 finish and UV-resistant opal polycarbonate diffuser. Certified fixture for marine and offshore applications, ensuring resistance in corrosive environments and extreme conditions.



PRODUCT SPECIFICATIONS

Item code:	**69218**
Description:	**Empty linkable metal waterproof fixture**
Tube:	**T8**
N° of tubes:	**x2**
Socket:	**G13**
EAN13 code:	**8435724907441**

ELECTRICAL DATA

Electrical insulation class:	**CLASS I**
Connection:	**L/N+TT**
Tube led connection:	**L/N**

TECHNICAL DATA

Protection rating:	**IP67 (dust-tight and protected against temporary immersion in water up to a depth of 1m for 30 minutes)**
Impact rating::	**IK10 (20J)**
Operating temperature:	**-20°~50°**
Mounting type:	**Surface**

PHYSICAL DATA

Housing

Material:	**Stainless steel SUS 316**
Finish:	**RAL 9010 - White**

Clips

Material:	**Stainless steel SUS 316**

Diffuser

Material:	**UV-resistant polycarbonate**
Finish:	**Opal**

Weight

Weight:	**1,78 kg**

DIMENSIONS





Input and output at both ends

CERTIFICATIONS

CE & ROHS

EMC Directive 2014/30/EU – ELECTROMAGNETIC COMPATIBILITY

EN IEC 55015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment.
EN 61547:	Lighting equipment for general lighting purposes. EMC immunity requirements.
EN IEC 61000-3-2	Electromagnetic Compatibility (EMC). Part 3-2: Limits. Limits for harmonic current emissions (equipment with input current ≤ 16 A per phase).
EN 61000-3-3	Electromagnetic Compatibility (EMC). Part 3-3: Limits. Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems for equipment with rated current ≤ 16 A per phase and not subject to conditional connection.

LVD Directive 2014/35/EU – LOW VOLTAGE

EN IEC 60598-2-1	Luminaires. Part 2-1: Particular requirements. Fixed luminaires for general lighting.
EN IEC 60598-1	Luminaires. Part 1: General requirements and tests.
EN 62493	Assessment of lighting equipment related to human exposure to electromagnetic fields.

RoHS Directive 2011/65/EU and Delegated Directive (EU) 2015/863
Determination of certain substances in electrotechnical products.

IEC 62321-1	**IEC 62321-2**
IEC 62321-3-1	**IEC 62321-4**
IEC 62321-5	**IEC 62321-6**
IEC 62321-7-1	**IEC 62321-7-2**
IEC 62321-8	



CE RoHS