TECHNICAL DATA





Input and output at both ends

69236

NEPTUNO SUS316 LINKABLE WATERPROOF FIXTURE FOR T8 TUBES, 1200MM, X2 TUBO



Empty linkable waterproof fixture 120cm made of SUS316 steel for 2 T8 LED tubes with G13 socket. Protection rating IP67 and mechanical impact resistance rating IK10. SUS316 steel base and clips with white RAL9010 finish and UV-resistant opal polycarbonate diffuser. Certified fixture for marine and offshore applications, ensuring resistance in corrosive environments and extreme conditions.

PRODUCT SPECIFICATIONS

Item code:	**69236**
Description:	**Empty linkable metal waterproof fixture**
Tube:	**T8**
N° of tubes:	**x2**
Socket:	**G13**
EAN13 code:	**8435724907458**

ELECTRICAL DATA

Electrical insulation class:	**CLASS I**
Connection:	**L/N+TT**
Tube led connection:	**L/N**

TECHNICAL DATA

Protection rating:	**IP67 (dust-tight and protected against temporary immersion in water up to a depth of 1 m for 30 minutes)**
Impact rating::	**IK10 (20J)**
Operating temperature:	**-20°~50°**
Mounting type:	**Surface**

PHYSICAL DATA

Housing

Material:	**Stainless steel SUS 316**
Finish:	**RAL 9010 - White**

Clips

Material:	**Stainless steel SUS 316**

Diffuser

Material:	**UV-resistant polycarbonate**
Finish:	**Opal**

Weight

Weight:	**3,26 kg**

DIMENSIONS





Input and output at both ends

CERTIFICATIONS

CE & ROHS

EMC Directive 2014/30/EU – ELECTROMAGNETIC COMPATIBILITY

EN IEC 55015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment.
EN 61547:	Lighting equipment for general lighting purposes. EMC immunity requirements.
EN IEC 61000-3-2	Electromagnetic Compatibility (EMC). Part 3-2: Limits. Limits for harmonic current emissions (equipment with input current ≤ 16 A per phase).
EN 61000-3-3	Electromagnetic Compatibility (EMC). Part 3-3: Limits. Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems for equipment with rated current ≤ 16 A per phase and not subject to conditional connection.

LVD Directive 2014/35/EU – LOW VOLTAGE

EN IEC 60598-2-1	Luminaires. Part 2-1: Particular requirements. Fixed luminaires for general lighting.
EN IEC 60598-1	Luminaires. Part 1: General requirements and tests.
EN 62493	Assessment of lighting equipment related to human exposure to electromagnetic fields.

RoHS Directive 2011/65/EU and Delegated Directive (EU) 2015/863
Determination of certain substances in electrotechnical products.

IEC 62321-1	**IEC 62321-2**
IEC 62321-3-1	**IEC 62321-4**
IEC 62321-5	**IEC 62321-6**
IEC 62321-7-1	**IEC 62321-7-2**
IEC 62321-8	



CE RoHS