

562001BCW

FLOODLIGHT WITH RECHARGEABLE BATTERY 20W 5700K



Floodlight with rechargeable battery, 20W power and luminous flux of 1000lm (50% power) and 2000lm (100% power). Symmetrical 120° optical beam angle and 5700K color temperature. Protection rating against external elements IP54 and mechanical impact resistance rating IK07. Includes USB cable. Manufactured in polystyrene (PS) with black and green housing finish.

PRODUCT SPECIFICATIONS

Item code:	562001BCW
Description:	Floodlight with Rechargeable Battery
EAN13 code:	8436568444642

ELECTRICAL DATA

Power:	20W
Voltage:	5v 1A
Power factor:	0,5
Dimmable:	NOT
Electrical insulation class:	CLASS III
Connection:	USB Cable

LUMINOUS DATA

Color temperature:	5700K
Luminous efficiency:	100 lm/w
Lumens:	1000-2000lm
LED chip model:	SMD 2835
N.° LED chip:	40pcs
Beam angle:	120°
Luminous distribution:	Symmetrical
Color rendering index:	>75
Luminous flux maintenance:	L80B10

BATTERY DATA

Model:	Litio 3,7v 8,8Ah
Charging time:	6-8 hrs
Autonomy:	5 hrs (50%) / 2,5 hrs (100%)

TECHNICAL DATA

Protection rating:	IP54 (Equipment resistant to dust and splashing water)
Impact rating:	IK07 (2J)
Operating temperature:	-10°~50°

AVERAGE LIFESPAN

Working hours:	25000 hrs
Switching cycles:	15000 ON/OFF

PHYSICAL DATA

Housing

Material:	Polystyrene
Finish:	Black and green
Screws:	Stainless steel


Diffuser

Material:	Polystyrene
Finish:	Transparent


Weight

Weight:	0,72 kg
---------	---------

DIMENSIONS



DISPLAY OPERATION



Selección de nivel de luminosidad:

Seleção de nível brilho:

Brightness Level Selection:

1 Pulsación: 100% potencia

1 Pressione: 100% de potência

1 Press: 100% Power

2 Pulsación: 50% potencia


2 pulso: 50% de potência

2 Press: 50% Power

3 Pulsación: OFF

3 Pressione: OFF

1 Press: OFF



1. Indicador de nivel de carga de batería

Indicador de nível carga de bateria

Battery charge level indicator

2. Puerto micro USB para carga 5v 1A

Porta micro USB para carregamento 5v 1A

Micro USB port for charging 5v 1A

3. Puerto usb de salida para carga de dispositivos 5v 1A

Porta USB de saída para carregamento de dispositivo 5v 1A

USB output port for device charging 5v 1A

* Incluye cable USB

Inclui cabo USB

Includes USB Cable

CERTIFICATIONS

